



The luminaire dedicated for commercial space lighting (HI-CRI), but also, with usage of adequate LED source (FOOD technology), for product exhibition places, additional special lighting Boutiques, True Color.

<b>TECHNICAL DATA</b>	<b>Mounting:</b> in 3-phase track <b>Body:</b> die-cast aluminum <b>Colour:</b> black and white
<b>ELECTRICAL DATA</b>	<b>Power supply efficiency:</b> >89% <b>Power:</b> 220-240V 50/60Hz <b>Includes light source:</b> yes <b>Type of equipment:</b> ED
<b>OPTICAL DATA</b>	<b>Electrical connection:</b> in 3-phase track <b>Light distribution:</b> circular <b>Way of lighting:</b> direct <b>Reflector:</b> aluminum polished faceted
<b>ADDITIONAL INFO</b>	<b>Operating temperature range:</b> 0° C ... +30° C <b>Lifetime (L70B10):</b> 50 000 h
<b>GENERAL DATA</b>	<b>Warranty:</b> 5 years <b>Application:</b> boutiques, delicatessen, jeweler, shopping centers, supermarkets, museums




Code	Beam angle	Power LED [W]	Luminaire power [W]	Lumen LED [lm]	Lumen luminaire [lm]	Efficacy [lm/W]	Colour temperature [K]	CRI/Ra
<b>Type: HI-CRI</b>								
020220.5L068.03	22°	30	34	3000	2400	71	3000	>90
020220.5L068.04	32°	30	34	3000	2350	69	3000	>90
020220.5L068.05	42°	30	34	3000	2450	72	3000	>90
020220.5L078.03	22°	36	40	4400	3350	84	3000	>90
020220.5L078.04	32°	36	40	4400	3150	79	3000	>90
020220.5L078.05	42°	36	40	4400	3300	82	3000	>90
<b>Type: Bread</b>								
020220.5L033.03	22°	32	36	2400	1700	47	-	≥80
020220.5L033.04	32°	32	36	2400	1700	47	-	≥80
020220.5L033.05	42°	32	36	2400	1700	47	-	≥80
<b>Type: Meat</b>								
020220.5L021.03	22°	32	36	2200	1500	42	-	≥80
020220.5L021.04	32°	32	36	2200	1450	40	-	≥80
020220.5L021.05	42°	32	36	2200	1600	44	-	≥80
<b>Type: Vegetables/Fruit</b>								
020220.5L054.03	22°	27	30	3300	2200	73	-	≥80
020220.5L054.04	32°	27	30	3300	2100	70	-	≥80
020220.5L054.05	42°	27	30	3300	2200	73	-	≥80
<b>Type: Cheese</b>								
020220.5L056.03	22°	45	50	3300	2200	44	-	≥80
020220.5L056.04	32°	45	50	3300	2100	42	-	≥80
020220.5L056.05	42°	45	50	3300	2200	44	-	≥80
<b>Type: Fish</b>								
020220.5L042.03	22°	30	34	3000	2400	71	-	>90
020220.5L042.04	32°	30	34	3000	2350	69	-	>90
020220.5L042.05	42°	30	34	3000	2450	72	-	>90
<b>Type: Sausages</b>								

Luminous flux tolerance +/- 10%.

Code	Beam angle	Power LED [W]	Luminaire power [W]	Lumen LED [lm]	Lumen luminaire [lm]	Efficacy [lm/W]	Colour temperature [K]	CRI/Ra
<b>Type: Sausages</b>								
020220.5L017.03	22°	31	36	2100	1600	44	-	≥80
020220.5L017.04	32°	31	36	2100	1550	43	-	≥80
020220.5L017.05	42°	31	36	2100	1600	44	-	≥80
<b>Type: Wine, whiskey, cognac</b>								
020220.5L055.03	22°	27	30	3300	2200	73	-	≥80
020220.5L055.04	32°	27	30	3300	2100	70	-	≥80
020220.5L055.05	42°	27	30	3300	2200	73	-	≥80
<b>Type: Fashion</b>								
020230.5L022.03	22°	27	30	3300	2250	75	3250	>90
020230.5L022.04	32°	27	30	3300	2150	72	3250	>90
020230.5L022.05	42°	27	30	3300	2250	75	3250	>90
<b>Type: Art</b>								
020230.5L011.03	22°	27	30	3250	2450	82	3000	>98
020230.5L011.04	32°	27	30	3250	2300	77	3000	>98
020230.5L011.05	42°	27	30	3250	2400	80	3000	>98


Code	Dimensions [mm] L W H	Pallet quantity	Quantity in package	Net weight [kg]
<b>Type: HI-CRI</b>				
020220.5L068.03	206 159 146	175	1	2.3
020220.5L068.04	206 159 146	175	1	2.3
020220.5L068.05	206 159 146	175	1	2.3
020220.5L078.03	206 159 146	175	1	2.3
020220.5L078.04	206 159 146	175	1	2.3
020220.5L078.05	206 159 146	175	1	2.3
<b>Type: Bread</b>				
020220.5L033.03	206 159 146	175	1	2.3
020220.5L033.04	206 159 146	175	1	2.3
020220.5L033.05	206 159 146	175	1	2.3
<b>Type: Meat</b>				
020220.5L021.03	206 159 146	175	1	2.3
020220.5L021.04	206 159 146	175	1	2.3
020220.5L021.05	206 159 146	175	1	2.3
<b>Type: Vegetables/Fruit</b>				
020220.5L054.03	206 159 146	175	1	2.3
020220.5L054.04	206 159 146	175	1	2.3
020220.5L054.05	206 159 146	175	1	2.3
<b>Type: Cheese</b>				
020220.5L056.03	206 159 146	175	1	2.3
020220.5L056.04	206 159 146	175	1	2.3
020220.5L056.05	206 159 146	175	1	2.3
<b>Type: Fish</b>				
020220.5L042.03	206 159 146	175	1	2.3
020220.5L042.04	206 159 146	175	1	2.3
020220.5L042.05	206 159 146	175	1	2.3
<b>Type: Sausages</b>				
020220.5L017.03	206 159 146	175	1	2.3
020220.5L017.04	206 159 146	175	1	2.3
020220.5L017.05	206 159 146	175	1	2.3



Luminous flux tolerance +/- 10%.

Code	Dimensions [mm] L W H	Pallet quantity	Quantity in package	Net weight [kg]
<b>Type: Wine, whiskey, cognac</b>				
020220.5L055.03	206 159 146	175	1	2.3
020220.5L055.04	206 159 146	175	1	2.3
020220.5L055.05	206 159 146	175	1	2.3
<b>Type: Fashion</b>				
020230.5L022.03	206 159 146	175	1	2.3
020230.5L022.04	206 159 146	175	1	2.3
020230.5L022.05	206 159 146	175	1	2.3
<b>Type: Art</b>				
020230.5L011.03	206 159 146	175	1	2.3
020230.5L011.04	206 159 146	175	1	2.3
020230.5L011.05	206 159 146	175	1	2.3

## OTHER PICTURES



## ACCESSORIES



- 150091.00121
- 150092.00122
- 150093.00123


Mounting bases



- 150091.00124
- 150092.00125
- 150093.00126

Recessed box

## LIGHT BEAM CURVES



Luminous flux tolerance +/- 10%.